

©Foxit Software Incorporated. All Rights Reserved.

© Foxit Software Incorporated. All Rights Reserved.

No part of this document can be reproduced, transferred, distributed or stored in any format without the prior written permission of Foxit.

Anti-Grain Geometry - Version 2.4

© Maxim Shemanarev (<u>http://www.antigrain.com</u>)

Portions of this product Copyright [2001-2022] Solid Documents

Permission to copy, use, modify, sell and distribute this software is granted provided this copyright notice appears in all copies. This software is provided "as is" without express or implied warranty, and with no claim as to its suitability for any purpose.

Contents

Contents	3
Overview	4
Download	4
Configuration with XML Editor	5
GPO templates	8
1. Add a GPO template in ADM or ADMX format	8
2. Configure Server URL	10
Foxit Customization Wizard (only for MSI installers)	14
Contact Us	19

Server Configuration for AC on clients

Overview

There are three methods to configure the server addresses for Foxit Admin Console and Foxit Update Server on clients: XML Editor, GPO templates, and Foxit Customization Wizard.

If you use the three methods to configure the server addresses at the same time, the configuration via XML Editor should be used first; if GPO templates and Customization Wizard configure the server addresses at the same time, GPO configuration will be used.

Notes:

1. With an on-premise Foxit Admin Console deployed in your organization, you can specify any domain suffix you want, such as "<u>xxx.company.com</u>". And then the corresponding full domain (i.e. the URL you use to open Foxit Admin Console in the web browser) will be "<u>https://xxx.company.com</u>", while the server addresses (Server URL) to be filled in during the configuration on clients will be based on what you have deployed.

2. With Foxit Admin Console deployed, you need to configure the server addresses for both Admin Console and Foxit Update Server. And the server address for both Admin Console and Foxit Update Server can be "<u>https://xxx.company.com</u>".

Download

Click <u>Here</u> to view and download the available Foxit Customization Wizard Tools for Foxit PDF Editor for the Windows version.

Click <u>Here</u> to download GPO Template for Foxit PDF Editor for the Windows version.

Configuration with XML Editor

1. Run Foxit Customization Wizard.exe.

If you want to configure Foxit PDF Editor for Windows, please select "**XML Editor Foxit PDF Editor**" in the drop-down menu.

If you want to configure Foxit PDF Reader for Windows, please select "**XML Editor Foxit Reade**r " in the drop-down menu.

Foxit Customization W	fizard ×
	Welcome!
F	XMI Editor Foxit PDE Editor
	MSI XML Editor Foxit PDE Editor
	KML Editor Foxit PDF Reader

2. Click the **OK** button to enter the main configuration interface.

żation Wizard)
Welcome!	
Please select an option to begin.	
XML Editor Foxit PDF Editor V	
XML Editor Foxit PDF Editor V	

3. Click the **Preferences** menu on the left menu interface

Foxit Customization Wizard				- 🗆 ×
🕰 XML	6 8			 (i)
Preferences Ribbon Set Plugins	Preferences About Foxit PDF Editor Admin Console Server Application Language Configure communication port range for Foxit creator Configure ECM server URL CommettedPDF Disable edfing Manage Sites Disable Live Chat in the application Disable Privileged Locations Do not use QuickTime Player for multimedia items DPJ Setting Enable creating self signed digital IDS Features Which require internet connection File Association Filer Comments Forbid Auto Update Hide Activation Code Javascript Action Load trusted certificates from Foxit server Lock Read Mode in web browsers Lock the Auto-Complete in Form Filling Main Program Name Multiple Instances NetDocuments Notification Messages Outlook COM add-in	Options Copyright: Content: Logo Path:	Browse	

4. Configure server addresses

4.1 To configure the server address for Admin Console on clients, choose **Admin Console Server** and then input the corresponding server URL. The URL format is <u>https://xxx.company.com/pheecws</u>. For example, if the domain name is <u>win2016.connectedpdf.com</u>, the server URL should be filled in as <u>https://win2016.connectedpdf.com/pheecws</u>.

Foxit Customization Wizard		- 🗆 ×
🕰 XML	6	 i)
 ⊘ Preferences □ Ribbon Set ∑ Plugins 	Preferences About Foxit POF Editor Admin Console Server Application Language Configure communication port range for Foxit creator Disable Privileged Locations Do Isable View Chat in the application Disable Privileged Locations Do Isable Privileged Locations Do Setting Enable creating self signed digital IDs Features which require internet connection File Association File Association File Activation Code Javascript Action	

4.2 To configure the server address for Foxit Update Server on clients, choose **Update Server** and then input the corresponding server URL.

Note: The Update Server URL is the same as the Admin Console Server URL.

		(j)
Preferences	Do not use QuickTime Player for multimedia items DPI Setting	
Ribbon Set	Enable creating self signed digital IDs Server URL:	
lugins	File Association	
logina	Filter Comments	
	Forbid Auto Update	
	Hide Activation Code	
	Javascript Action	
	Load trusted certificates from Foxit server	
	Lock Read Mode in web browsers	
	Lock the Auto-Complete in Form Filling	
	Main Program Name	
	Multiple Instances	
	NetDocuments	
	Notification Messages	
	Outlook COM add-in	
	PDF Sign	
	Print Setting	
	Protected View	
	RMS Setting	
	Sate Reading Mode	
	Set User Manual Link	
	Share the DDE file that caused this crash	
	Start Paria	
	Status Bar	
	Tell me what you want to do	
	The Tutorials URL	
	Trusted Applications	
	Update Server	
	User Experience Improvement	

5. After completing the configuration of the server address, click the **Save** button at the top to export the xml file.



6. Create a folder with the name "ProfStore" in the install directory of Foxit PDF Editor, and put the exported XML file in the folder.



GPO templates

1. Add a GPO template in ADM or ADMX format

• ADM

Click Start > Run or use the shortcut keys Windows + R and type the gpedit.msc command in the Run window to open **Local Group Policy Editor**. In the **Local Group Policy Editor** dialog box, right-click **Administrative Templates** in **Computer Configuration** and choose **Add/Remove Template** in the context menu.

• 🗣 📶 🖬 🖬 🖬 🍸		
Local Computer Policy	Administrative Templates Select an item to view its description.	Setting
Administrative Templates Gontrol Panel Metwork	Add/Remove Templates	×
 Printers Server Start Menu and Taskbar System Windows Components All Settings Software Settings Windows Settings Windows Settings Administrative Templates 	Name	Size Modified
	Add Remove	Close
		<
	Extended Standard	

In the pop-up dialog box, click **Add** to add the .adm file. Then you can see the **Foxit PDF Editor 12.0** template in **Classic Administrative Templates (ADM)**.

he Action view Help			
• 🔿 📶 🗟 🔢 🛐 🔻			
 Local Computer Policy Computer Configuration Software Settings Windows Settings Administrative Templates Control Panel Network Printers Server Start Menu and Taskbar System Windows Components Classic Administrative Templates (ADM) Foxit PDF Editor 12.0 All Settings Software Settings Software Settings Mundows Settings Moves Components Software Settings Mindows Components All Settings Mindows Components Software Settings Administrative Templates 	Administrative Templates Select an item to view its description.	Setting Control Panel Network Printers Server Start Menu and Taskbar System Windows Components Classic Administrative Templates (ADM) All Settings	
		<	

• ADMX

Copy the .admx file to C:\Windows\PolicyDefinitions folder and the .adml file to the corresponding language subfolder.

	lis PC > Local Disk (C:) > Windo	ws > PolicyDennitions >					~ 0
* ^	Name	Date modified	Туре	Size			
	FileSys.admx	7/16/2016 2:19 PM	ADMX File		8 KB		
	FolderRedirection.admx	7/16/2016 2:19 PM	ADMX File		7 KB		
	Foxit PDF Editor.admx	5/30/2022 11:29 AM	ADMX File	4	51 KB		
	FramePanes.admx	7/16/2016 2:19 PM	ADMX File		3 KB		
	fthsvc.admx	7/16/2016 2:19 PM	ADMX File		3 KB		
- 11	GameExplorer.admx	7/16/2016 2:19 PM	ADMX File		3 KB		
- 11	Globalization.admx	7/16/2016 2:19 PM	ADMX File		33 KB		
	GroupPolicy.admx	7/16/2016 2:19 PM	ADMX File		32 KB		
onare > This	view PC > Local Disk (C:) > Windows	> PolicyDefinitions > en-US				v 0	Se
> This	view PC > Local Disk (C:) > Windows Name	PolicyDefinitions > en-US	fune	Size		~ Õ	Se
> This	view PC > Local Disk (C:) > Windows Name	PolicyDefinitions > en-US Date modified	Type	Size		~ 0	Se
> This	View PC > Local Disk (C:) > Windows Name Winsrv.adml Winsrv.adml	 PolicyDefinitions > en-US Date modified 11/21/2016 12:35 11/21/2016 13:35 	lype ADML File	Size 2 KB		~ 0	Se
> This	View PC > Local Disk (C:) > Windows Name Winsrv.adml WirelessDisplay.adml Walesscr.adml	 PolicyDefinitions > en-US Date modified 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 	Type ADML File ADML File	Size 2 KB 2 KB 5 KB		~ 0	Se
> This	view PC > Local Disk (C:) > Windows Name Winsrv.adml WirelessDisplay.adml Wansvc.adml Wansvc.adml	PolicyDefinitions > en-US Date modified 11/21/2016 12:35 4 11/21/2016 12:35 4 11	Type ADML File ADML File ADML File	Size 2 KB 2 KB 3 KB		~ ⊘	Se
> This	view PC > Local Disk (C:) > Windows Name Winsrv.adml Wirsrv.adml WirselessDisplay.adml WorkPolders-Client.adml	PolicyDefinitions > en-US Date modified 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35	Type ADML File ADML File ADML File ADML File ADML File	Size 2 KB 5 KB 3 KB 4 KB		v 0	Se
> This	view PC > Local Disk (C:) > Windows Name Winsrv.adml WirelessDisplay.adml WirelessDisplay.adml WordWheel.adml WorkFolders-Client.adml WorkFolders-Client.adml	PolicyDefinitions > en-US Date modified 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35	Type ADML File ADML File ADML File ADML File ADML File	Size 2 KB 2 KB 3 KB 4 KB 2 KB		v 0	Se
> This	view PC > Local Disk (C:) > Windows Name Winsrv.adml WirelessDisplay.adml Widnsvc.adml WordWheel.adml WorkFolders-Client.adml WorkplaceJoin.adml Workpadml	PolicyDefinitions → en-US ▼ Date modified 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35 11/21/2016 12:35	fype ADML File ADML File ADML File ADML File ADML File ADML File	Size 2 KB 2 KB 3 KB 4 KB 2 KB 8 KB		~ 0	Se
> This	VIEW PC > Local Disk (C:) > Windows Name Winsrv.adml WirelessDisplay.adml WirelessDisplay.adml WorkFolders-Client.adml WorkFolders-Client.adml WorkPl.adml WorkPl.adml	PolicyDefinitions > en-US Date modified 11/21/2016 12:35 11/21/2016 12:35 1	fype ADML File ADML File ADML File ADML File ADML File ADML File ADML File	Size 2 KB 5 KB 3 KB 4 KB 2 KB 8 KB 3 KB		~ O	Sea

Then you can see the **Foxit PDF Editor 12.0** template in **Administrative Templates**.



2. Configure Server URL

2.1 Configure Foxit Admin Console server

Open the **Admin Console** folder in the **Foxit PDF Editor 12.0** template, and click on the **Admin Console** under Setting on the right side of the window.



Double-click **Admin Console Server** under Setting on the right side of the window.



Select **Enabled** and input the corresponding server URL in the **Server** box. The URL format is <u>https://xxx.company.com/pheecws</u>. For example, if the domain name is <u>win2016.connectedpdf.com</u>, the server URL should be filled in as <u>https://win2016.connectedpdf.com/pheecws</u>. Click **Apply**, and then click **OK**.

駚 Admin Console Se	erver						×
Admin Console Se	erver		Prev	ious Setting	Next Setting		
○ Not <u>C</u> onfigured ● <u>E</u> nabled	Comment:						^
) <u>D</u> isabled	Supported on:	Microsoft Wind	dows 7 or later				~
ptions:			Help:				
			URL to connect ye	our enterprise J	Admin Console S	erver.	

2.2 Configure Foxit Update server

Open the **Admin Console folder** in the **Foxit PDF Editor 12.0** template, and double-click **Update Server**.



Select **Enabled** and input the corresponding server URL in the **Server** box. Click **Apply**, and then click **OK**.

Note: The Update Server URL is the same as the Admin Console Server URL.

💺 Update Server						×
Update Server				Previous Setting	Next Setting	
○ Not <u>C</u> onfigured	Comment:					1
<u>Enabled</u>						
	Supported on:	Microsoft \	Windows 7 or lat	er		1
ptions:			Help:			

Foxit Customization Wizard (only for MSI installers)

1. Run Foxit Customization Wizard.exe. Select "MSI" in the drop-down menu and click the **OK** button.

Foxit Customization	Wizard	×
	Welcome!	
	Please select an option to begi	∼.
	OK Cancel	
	OK Cancel	

2. Click **Open a Package/File** in the middle to select the MSI installer to be configured.



3. More panels appear in the left of Foxit Customization Wizard. Select the **Installation Options** panel.

 Personalization Options Installation Options Features Shortcuts 	Installation Options Application Language O Use OS language Choose custom language en-US
□: Files and Folders ::::::::::::::::::::::::::::::::::::	Pre-Setting Image: Set as the default PDF viewer Install as the default system printer Image: Show PDF files in IE browsers Image: Disable Auto Update Image: Use Foxit PDF Editor to open embedded Acrobat files and embedded Foxit PDF Reader files in Microsoft Office Image: Use GDI+ Output for all types of printer Edition: Edition: Editor Pro
	Server Address Server Address for Admin Console: https://win2019.connectedpdf.com/pheecws Server Address for Update Server: https://win2019.connectedpdf.com/pheecws

4. Configure server addresses

4.1 To configure the server address for Admin Console on clients, input the corresponding URL in the **Server Address for Admin Console** at the bottom of the interface. The URL format is <u>https://xxx.company.com/pheecws</u>. For example, if the domain name is <u>win2019.connectedpdf.com</u>, the server URL should be filled in as <u>https://win2019.connectedpdf.com/pheecws</u>.

Foxit Customization Wizard	
🕰 MSI	
2 Personalization Options	Installation Options
Features Shortcuts	O Use OS language O tose custom language en-US
□: Files and Folders ::::::::::::::::::::::::::::::::::::	Pre-Setting Ø Set as the default PDF viewer Install as the default system printer Ø Show PDF files in IE browsers Disable Auto Update Use Foxit PDF Editor to open embedded Acrobat files and embedded Foxit PDF Reader files in Microsoft Office Use GDI+ Output for all types of printer Edition:
	Server Address Server Address for Admin Console: https://win2019.connectedpdf.com/pheecws Server Address for Update Server: https://win2019.connectedpdf.com/pheecws

4.2 To configure the server address for Foxit Update Server on clients, input the corresponding URL in the **Server Address for Admin Console** at the bottom of the interface.

Note: The Update Server URL is the same as the Admin Console Server URL.

🗳 MSI			
Personalization Options	Installation Options		
Installation Options	Application Language		
0♦ Features	O Use OS language		
Shortcuts	Choose custom language en-US		
+ Files and Folders	Pre-Setting		
Registry	Set as the default PDF viewer		
Preferences	Show PDF files in IE browsers		
🗂 Ribbon Set	Use Foxit PDF Editor to open embedded Acrobat files and embedded Foxit PDF Reader files in Microsoft Office		
Plugins	Use GDI+ Output for all types of printer Edition: Editor Pro 🗸		
	Server Address		
	Server Address for Admin Console: https://win2019.connectedpdf.com/pheecws		
	Server Address for Update Server: https://win2019.connectedpdf.com/pheecws		

5. Click the **Save** button at the top of Foxit Customization Wizard. In the pop-up Save As dialog box, choose the folder where the Foxit PDF Editor installer is stored and click **Save**.

Foxit Customization Wizard			- 0
🕰 MSI	6 8		 ?
Bersonalization Options Installation Options Installation Options Features Shortcuts Image: Files and Folders Image: Registry Image: Registry Image: Registry Image: Ribbon Set Image: Plugins	DPI Setting Enable creating self sighted digital IDs Features which require internet connection File Association Filter Comments Forbid Auto Update Hide Activation Code Javascript Action Load trusted certificates from Foxit server Lock Read Mode in web browsers Lock Read Mode in web browsers Lock Read Mode in web browsers Netbocourbents Notification Messages Outlook COM add-in PDF Sign Print Setting Protected View RMS Setting Safe Reading Mode Security Warning Set User Manual Link: Share the PDF file that caused this crash Status Bar	Server URL: ttps://win2019.connectedpdf.com/ph	ee over

6. Then you can see the .cab and the .mst files are generated in the folder.

📜 fct.cab	2022/8/16 14:53		
GA_PDFEditor_Zh_Online_Full_v12.0.0.12394_FCT.mst	2022/8/16 14:53		
GA_PDFEditor_Zh_Online_Full_v12.0.0.12394.msi	2022/6/7 14:17		

7. Run the command in the Command Prompt: msiexec /i "full path to .msi" TRANSFORMS="full path to .mst" /qb

8. After the installation completes, the fpcsdk.config file is generated in the installation folder.

Administratur/amiyeee /i C:Weerr∖Administrator\Jeaktor\JCA_FUE2diver 25_Caline_Pul1_v12, 0.0,1294.ami TRAKSTO erstAdministratorUbactors\JCA_FUE1tion_Zh_Chrime_Pul1_v12, 0.0,12244 FCT.ami,/qn

Contact Us

Feel free to contact us should you need any information or have any problems with our products. We are always here, ready to serve you better.

- Office Address: Foxit Software Incorporated 41841 Albrae Street Fremont, CA 94538 USA
- Sales: 1-866-680-3668
- Support & General: <u>Support Center</u> 1-866-MYFOXIT, 1-866-693-6948
- Website:
 <u>www.foxit.com</u>
- *E-mail:* Marketing - <u>marketing@foxit.com</u>