

FortiManager™

Centralized Security Management



Take Control of Your Security Infrastructure

The FortiManager family delivers the versatility you need to effectively manage your Fortinet-based security infrastructure. FortiManager drastically reduces management costs, simplifies configuration, and accelerates deployment cycles, whether you are deploying new devices, installing security policies, or distributing updates.

FortiManager also provides crucial timesaving features like device auto-discovery, group management, global policies, auditing facilities, and the ability to manage complex VPN environments. FortiManager, coupled with the FortiAnalyzer™ family of centralized logging and reporting appliances, provides a comprehensive and powerful centralized management solution for your organization.

Key Features & Benefits

Integrated FortiAnalyzer Logging	This allows for a tighter integration and correlation of events and policies. A consolidated platform allows customers to more easily deploy Fortinet management products.
Hierarchical Objects Database	Facilitates reuse of common configurations across the organization in both local and global ADOM levels.
Automated Device Provisioning/ Centralized Policy Configuration	Reduces cost of deploying new FortiGate or FortiClient installations and maintains policies across all managed assets.
Role-Based Administration	Enables distributed administration, an important requirement for larger organizations.
Policy/Device Auditing	Allows you to prove compliance, and track any deviations from the required security policy.
In-View Policy Object Editing	Faster rulebase editing without opening new windows or changing context.
Device Profiles	Aids in mass provisioning of managed devices.
XML API	Web Services interface that enables users to integrate with provisioning systems and automate the configuration of the many devices that FortiManager is capable of managing.
JSON API	JSON API allows MSSPs to offer administrative web portals to customers.

Fortinet's Versatile Management Solution

Networks are constantly evolving due to threats, organizational growth or new regulatory/business requirements. Traditional management products focus on mitigating company-wide threats through firewall policies, firmware updates and keeping content security current.

FortiManager offers enterprise class features to contain these threats, but also provides flexibility to evolve along with your ever-changing network. In addition to being able to manage hundreds or even thousands of FortiGate devices, FortiManager now includes basic FortiAnalyzer logging and reporting functions for administrators who prefer a consolidated management platform.

Key tenets of Fortinet's management versatility:

- Diversity of form factors
- Architectural flexibility
- Highly customizable
- Simple licensing



FortiCare
Worldwide 24x7 Support
support.fortinet.com



FortiGuard
Threat Research & Response
www.fortiguard.com



Fortinet
Developer Network
Worldwide Developer Community

www.fortinet.com

HIGHLIGHTS

Administrative Domains (ADOMs) and Global Policy

Enables a primary administrator to create groups of devices for other administrators to monitor and manage

- Administrators can manage devices in their geographic location or business division
- Multiple FortiGate virtual domains (VDOMs) can be divided among multiple ADOMs
- Granular permissions allow assigning ADOMs and policies to particular users
- Administrators can only access devices or VDOMs assigned to them
- Create device configuration templates to quickly configure a new Fortinet appliance
- Within each ADOM, there is a common database of objects shared by all devices and policy packages allowing users to reuse similar configurations among a group of managed assets
- Global Policy capabilities are available on all FortiManager hardware models and virtual machines

JSON and XML (Web Services) APIs

- JSON API — Allows MSSPs/large enterprises to create customized, branded web portals for policy and object administration
- XML API — Enables administrators to quickly provision new FortiGates and configure existing devices
- XML API — Administrators can obtain information, create and run FortiOS CLI scripts on the FortiManager database, and then install the changes on FortiGate units
- Access tools, sample code, documentation and interact with the Fortinet developer community by subscribing to the Fortinet Developer Network (FNDN)

Locally Hosted Security Content

Hosting security content locally allows the administrator greater control over security content updates and provides improved response time for rating databases. Includes support for:

- Antivirus definition updates
- Intrusion Prevention updates
- Vulnerability and Compliance Management updates
- Web Filtering (select systems)
- Antispam (select systems)

Command and Control

- Manage devices and endpoint agents individually or as logical groups
- Discover new devices automatically
- Create, deploy, and monitor virtual private networks
- Delegate control to other users with distributed administration features
- Audit configuration changes to ensure compliance

Manage Updates


- Simplify the ongoing maintenance of your Fortinet-based security infrastructure by scheduling device updates

Monitor, Analyze and Report

- Access vital security and network statistics
- Real-time monitoring and integrated basic reporting provide visibility into network and user activity.
- For more powerful analytics, combine with a FortiAnalyzer appliance for additional data mining and graphical reporting capabilities

FortiManager Supported Devices

- FortiGate and FortiCarrier Consolidated Security Appliances
- FortiAnalyzer Analysis and Reporting Appliances
- FortiSwitch Switching Platforms



SPECIFICATIONS

FORTIMANAGER APPLIANCES	FORTIMANAGER-200D	FORTIMANAGER-300D	FORTIMANAGER-1000D	FORTIMANAGER-4000E
Capacity and Performance				
Licensed Network Devices ¹ (Max)	30	300	1,000	4,000
Administration Domains (ADOMs)	30	300	1,000	4,000
Admin Web Portals / Max Portal Users	—	—	1,000	4,000
Global Policy (Included)	Yes	Yes	Yes	Yes
GB/Day of Logs	2	2	2	2
Hardware Specifications				
Hardware Form Factor	1 RU Rackmount	1 RU Rackmount	2 RU Rackmount	2 RU Rackmount
Total Interfaces	4x GbE	4x GbE	6x GbE, 2x GbE SFP	4x GbE, 2x GbE SFP
Console Port	RJ45	RJ45	RJ45	DB-9
LCD Display	No	No	No	Yes
Number of Hard Drives	1	2	4	8 (8 Max)
Removable Hard Drives	No	No	Yes	Yes
Storage Capacity	1x 1 TB	2x 2 TB (4 TB Max)	4x 2 TB (8 TB Max)	8x 2TB (16 TB Max)
RAID Storage Management	No	Yes (0, 1)	Yes (0, 1, 5, 6, 10, 50, 60)	Yes (0, 1, 5, 6, 10, 50, 60)
High Availability Support	Yes	Yes	Yes	Yes
Redundant Hot Swap Power Supplies	No	No	Yes	Yes
Dimensions				
Height x Width x Length (in)	1.8 x 17.1 x 13.9	1.7 x 17.1 x 14.3	3.5 x 17.1 x 14.5	3.4 x 19 x 29.7
Height x Width x Length (cm)	4.5 x 43.4 x 35.2	4.4 x 43.4 x 36.4	9 x 43.4 x 36.8	8.7 x 48.2 x 75.5
Weight	13.4 lbs (6.1 kg)	15.9 lbs (7.2 kg)	30.6 lbs (13.9 kg)	71.5 lbs (32.5 Kg)
Environment				
AC Power Supply	100–240V AC 50–60 Hz, 6 Amp Max	100–240V AC 50–60 Hz, 4.0 Amp Max	100–240V AC 50–60 Hz, 5 Amp Max	100–240V AC 50–60 Hz, 10 Amp Max
Power Consumption (AVG)	60 W	162 W	133 W	375.8 W
Heat Dissipation	205 BTU/h	666 BTU/h	546 BTU/h	1947 BTU/h
Operating Temperature	32–104°F (0–40°C)	50–95°F (10–35°C)	32–104°F (0–40°C)	50–95°F (10–35°C)
Storage Temperature	-13–158°F (-25–70°C)	-40–158°F (-40–70°C)	-13–158°F (-25–70°C)	-40–149°F (-40–65°C)
Humidity	5–95% non-condensing	8–90% non-condensing	5–95% non-condensing	20–90% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)	Up to 7,400 ft (2,250 m)
Compliance				
Safety Certifications	FCC Class A Part 15, UL/CB/cUL, C-Tick, VCCI, CE	FCC Class A Part 15, UL/CB/cUL, C-Tick, VCCI, CE	FCC Class A Part 15, C-Tick, VCCI, CE, BSMI, UL/CB/cUL	FCC Part 15 Class A, C-Tick, VCCI, CE, BSMI, KC, UL/cUL, CB, GOST

FMG VIRTUAL APPLIANCES	FMG-VM-BASE	FMG-VM-10-UG	FMG-VM-100-UG	FMG-VM-1000-UG	FMG-VM-5000-UG	FMG-VM-U-UG
Capacity						
Licensed Network Devices ^{1,2} (Max)	10	+10	+100	+1,000	+5,000	Unlimited ²
Administration Domains (ADOMs)	10	+10	+100	+1,000	+5,000	Unlimited ²
Admin Web Portals / Max Portal Users	10	+10	+100	+1,000	+5,000	Unlimited ²
Device Quota	100 GB	200 GB	1 TB	4 TB	8 TB	16 TB
GB/Day of Logs	1	2	5	10	25	50
Virtual Machine						
Hypervisor Support	VMware ESX/ESXi 4.0/4.1/5.0/5.1/5.5, Microsoft Hyper-V 2008 R2 / 2012, Amazon (Amazon Web Services) AMI					
vCPU Support (Min/Max)	1 / Unlimited					
Network Interface Support (Min/Max)	1 / 4					
Storage Support (Min/Max)	80 GB / 16 TB					
Memory Support (Min/Max)	1 GB / 4 GB for 32-bit and 2 GB / Unlimited for 64-bit					
High Availability Support	Yes					

¹ Each Virtual Domain (VDOM) operating on a physical device counts as one (1) licensed network device.

² Limited in software to 10,000 devices, ADOMs, Web Portals, and Web Portal users.



FortiManager-200D



FortiManager-1000D



FortiManager-300D



FortiManager-4000E



FortiManager Virtual Appliance

FEATURES

	LOCALLY HOSTED SECURITY CONTENT					MISCELLANEOUS FEATURES			
	Antivirus	Intrusion Prevention	Vulnerability Management	Web Filtering	Antispam Databases	Shelf Manager	(VM Activation) Closed Network Mode	Global Policies	Web Portal
FortiManager-200D	Yes	Yes	Yes	Yes	Yes	No	No	Yes	No
FortiManager-300D	Yes	Yes	Yes	Yes	Yes	No	No	Yes	No
FortiManager-1000C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager-4000E	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager-VM Base	Yes	Yes	Yes	No	No	No	No	Yes	Yes
FortiManager-VM Base + FMG-VM-10-UG	Yes	Yes	Yes	No	No	No	No	Yes	Yes
FortiManager-VM Base + FMG-VM-100-UG	Yes	Yes	Yes	No	No	No	No	Yes	Yes
FortiManager-VM Base + FMG-VM-1000-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager-VM Base + FMG-VM-5000-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FortiManager-VM Base + FMG-VM-U-UG	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

ORDER INFORMATION

ADDITIONAL FORTIMANAGER ITEMS		
SKU	Description	
FC-10-FNDN1-139-02-12	Access for 1 user to Fortinet Developer Network	
FORTIMANAGER VIRTUAL APPLIANCES		
SKU	Licensed Network Devices (Max)	Description ³
Built-in Evaluation	10	Built-in 15-day EVAL License, no activation required.
Full Evaluation (60-days)	10,000	EVAL License. License and activation required.
FMG-VM-Base	10	Base license for stackable FortiManager-VM. Manages up to 10 FortiGate devices/Administrative Domains, 1 GB/day of logs and 100 GB device quota. Designed for VMware vSphere and Microsoft Hyper-V platforms.
FMG-VM-10-UG	+10	Upgrade license for adding 10 FortiGate devices/Administrative Domains, 2 GB/day of logs and 200 GB device quota.
FMG-VM-100-UG	+100	Upgrade license for adding 100 FortiGate devices/Administrative Domains, 5 GB/day of logs and 1 TB device quota.
FMG-VM-1000-UG	+1,000	Upgrade license for adding 1,000 FortiGate devices/Administrative Domains, 10 GB/day of logs and 4 TB device quota.
FMG-VM-5000-UG	+5,000	Upgrade license for adding 5,000 FortiGate devices/Administrative Domains, 25 GB/day of logs and 8 TB device quota.
FMG-VM-U-UG	Unlimited ⁴	Upgrade license for adding unlimited FortiGate devices/Administrative Domains, 50 GB/day of logs and 16 TB device quota.

³ Unlimited virtual CPUs. Memory is not restricted up to the operating system limit of 4 GB (32-bit) / Unlimited (64-bit)

⁴ Limited in software to 10,000 devices, ADOMs, Web Portals, and Web Portal users.

FortiGuard® Security Subscription Services deliver dynamic, automated updates for Fortinet products. The Fortinet Global Security Research Team creates these updates to ensure up-to-date protection against sophisticated threats. Subscriptions include antivirus, intrusion prevention, web filtering, antispam, vulnerability management, application control and database security services.

FortiCare™ Support Services provide global support for all Fortinet products and services. FortiCare support enables your Fortinet products to perform optimally. Support plans start with 8x5 Enhanced Support with “return and replace” hardware replacement or 24x7 Comprehensive Support with advanced replacement. Options include Premium Support, Premium RMA, and Professional Services. All hardware products include a 1-year limited hardware warranty and 90-day limited software warranty.

Fortinet® Developer Network is subscription-based advanced support for Fortinet products, geared towards application and integration developers. This service covers advanced topics like the FortiManager™ Web Portal and XML APIs. Includes best practices, example code, and community-built management tools.

GLOBAL HEADQUARTERS

Fortinet Inc.
899 Kifer Road
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
Fax: +1.408.235.7737

EMEA SALES OFFICE

120 rue Albert Caquot
06560, Sophia Antipolis,
France
Tel: +33.4.8987.0510
Fax: +33.4.8987.0501

APAC SALES OFFICE

300 Beach Road #20-01
The Concourse
Singapore 199555
Tel: +65.6513.3730
Fax: +65.6223.6784

LATIN AMERICA SALES OFFICE

Prol. Paseo de la Reforma 115 Int. 702
Col. Lomas de Santa Fe,
C.P. 01219
Del. Alvaro Obregón
México D.F.
Tel: 011-52-(55) 5524-8480



Copyright© 2014 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

產品	效能	Description	作業版本
FG-FW-Base Fortinet 網路防火牆 500Mbps	網路防火牆 500Mbps	提供防火牆控管存取政策,使用者身份辨識,IPSEC VPN, SSL VPN, SLB(主機負載平衡) 及 無線網路控制器 (Wireless Controller)	Vmware Hyper-V Citrix Xen OpenXen KVM AWS
FG-FW-1000-UG Fortinet 網路防火牆 頻寬升級 1Gbps	網路防火牆 頻寬升級 1Gbps		
FG-VM01/VM02/VM04/VM08 Fortinet 網路防火牆 (授權方式: 依照 CPU 數量 1/2/4/8 四個授權方式出貨)	網路防火牆 支援 1 CPU		
FG-NGFW-Base Fortinet 新世代網路防火牆 500Mbps (含 FW, IPS, Application Control, AV, Web Filtering and Antispam)	新世代網路防火牆 500Mbps	提供防火牆控管存取政策,使用者身份辨識,IPSEC VPN, SSL VPN, SLB(主機負載平衡), 無線網路控制器 (Wireless Controller), 入侵防禦, 應用程式控管, 防毒, 不當網頁過濾, 防垃圾郵件	Vmware Hyper-V Citrix Xen OpenXen KVM AWS
FG-NGFW-1000-UG Fortinet 新世代網路防火牆 頻寬升級 1Gbps (含 FW, IPS, Application Control, AV, Web Filtering and Antispam)	新世代網路防火牆 頻寬升級 1Gbps		
FG-VM01/VM02/VM04/VM08 Fortinet 新世代網路防火牆 500Mbps (含 FW, IPS, Application Control, AV, Web Filtering and Antispam) (授權方式: 依照 CPU 數量 1/2/4/8 四個授權方式出貨)	新世代網路防火牆 支援 1 CPU		
FMG-VM-Base Fortinet 集中管理系統	集中管理系統 10 台設備	Fortinet 防火牆管理, 設定和集中派送 (政策, 資安防禦資料庫) 的中央管理系統, 支援 10 台設備	Vmware Hyper-V AWS
FMG-VM-10-UG Fortinet 集中管理系統	集中管理平台設備 數量升級 - 10 台設備		
FAZ-VM-BASE Fortinet 集中日誌報表系統	集中日誌報表系統	Fortinet 防火牆的集中日誌報表管理系統	Vmware Hyper-V AWS
FAZ-VM-GB1 Fortinet 集中日誌報表系統 紀錄數量升級 - 1 GB/Day	集中日誌報表系統 紀錄數量升級 - 1 GB/Day		
FSA-VM Fortinet 先進威脅防護系統 (ATP)	先進威脅防護系統 (ATP)	即時執行沙箱檢測, 提供虛擬的運行環境來分析高風險或可疑的程式, 研判威脅完整的生命週期, 協助用戶智慧地立即偵測出既存與新興的 網路威脅。	VMware

FWB-Base Fortinet 網站應用程式防火牆(WAF) 25Mbps	網站應用程式防火牆(WAF) 25Mbps	提供網站應用程式防火牆功能（WAF），網頁防置換，網頁自動備份及回復等功能	Vmware Hyper-V Citrix Xen Open Xen AWS
FWB-100-UG Fortinet 網站應用程式防火牆(WAF) 頻寬升級 100Mbps	網站應用程式防火牆(WAF) 頻寬升級 100Mbps		
FWB-VM01/VM02/VM04/VM08 Fortinet 網站應用程式防火牆(WAF) (授權方式：依照 CPU 數量 1/2/4/8 四個授權方式出貨)	網站應用程式防火牆(WAF) 支援 1 CPU		
FAD-Base Fortinet 主機負載平衡系統 (SLB) 1Gbps	主機負載平衡系統(SLB) 1Gbps	支援網路的主機負載平衡，全球服務負載平衡（GSLB）及線路負載平衡（LLB）等功能	VMware
FAD-1000-UG Fortinet 主機負載平衡系統 (SLB) 頻寬升級 1Gbps	主機負載平衡系統(SLB) 頻寬升級 1Gbps		
FAD-VM01/VM02/VM04/VM08 Fortinet 主機負載平衡系統(SLB) (授權方式：依照 CPU 數量 1/2/4/8 四個授權方式出貨)	主機負載平衡系統(SLB) 支援 1 CPU		
FML-Base Fortinet 反垃圾郵件及郵件保全系統 100 人版	反垃圾郵件及郵件保全系統 100 人版	提供電子郵件主機功能、過濾並攔截垃圾郵件	VMware Hyper-V Citrix Xen KVM
FML-300-UG Fortinet 反垃圾郵件及郵件保全系統 使用者數量升級 300 人	反垃圾郵件及郵件保全系統 使用者數量升級 300 人		
FML-VM01/VM02/VM04/VM08 Fortinet 反垃圾郵件及郵件保全系統 (授權方式：依照 CPU 數量 1/2/4/8 四個授權方式出貨)	反垃圾郵件及郵件保全系統 支援 1 CPU		
FAC-VM-Base Fortinet 身份認證系統 (Authenticator) 100 人版	身份認證系統(Authenticator) 100 人版	整合 RADIUS、LDAP 伺服器，提供標準及安全的雙因子認證	VMWare Hyper-V
FAC-VM-100-UG Fortinet 身份認證系統 (Authenticator) 使用者數量升級 100 人	身份認證系統(Authenticator) 使用者數量升級 100 人		